Sentral Valley Project Improvement Act

Agenda

- Update on predator contact points (Cyril)
- Update on watershed expert meetings (Mike Urkov)
- Discuss Battle Creek winter run proposal (Matt)
- Discuss proposed rulesets for restoration strategy development (All)
- Review example output that the SIT will be provided with to develop strategies (All)
- New Business

<u>Agenda</u>

- Update on predator contact points (Cyril)
- Update on watershed expert meetings (Mike Urkov)
- Discuss Battle Creek winter run proposal (Matt)
- Discuss proposed rulesets for restoration strategy development (All)
- Review example output that the SIT will be provided with to develop strategies (All)
- New Business



Central Valley Project Improvement Act

<u>Agenda</u>

- Update on predator contact points (Cyril)
- Update on watershed expert meetings (Mike Urkov)
- Discuss Battle Creek winter run proposal (Matt)
- Discuss proposed rulesets for restoration strategy development (All)
- Review example output that the SIT will be provided with to develop strategies (All)
- New Business

Battle Creek Winter Run Proposal

- What
 - Add capability to SIT model to include winter Chinook salmon in Battle Creek
- How?
 - Seed the watershed with hatchery fish
 - About 500 hatchery adults returning to BC each year
 - Allocate some adult returns to hatchery (natural or hatchery origin?)
 - Allow 75% of adult returns to spawn
 - Remove 25% of adult returns for hatchery operations
 - Incorporate habitat estimates
 - Winter run would be using spring run habitat in the North Fork (The Payne report)

Link to proposal

Agenda

- Update on predator contact points (Cyril)
- Update on watershed expert meetings (Mike Urkov)
- Discuss Battle Creek winter run proposal (Matt)
- Discuss proposed rulesets for restoration strategy development (All)
- Review example output that the SIT will be provided with to develop strategies (All)
- New Business



Scenario Evaluation

Simulate every combination of actions for each tributary to find optimal *sequence* of actions

Assume 4 potential actions per tributary

20 years = 4^{20} = 1.09 x 10^{12} combinations x 25 natal tributaries...



Decision Alternatives

Partial controllability: 50 – 150%



2


State-Dependent Policy Development

Use decision-support model to develop transition probability matrices for each group/tributary type

Solve using stochastic dynamic programming

Maximize the cumulative utility value through time

What is juvenile < 45 mm survival on average?



State-Dependent Policy Development

Group 1 Group 2 Juve surv: 0.5 Juve surv: 0.5 Shasta Lake Cow Creek 500 Bear Creek 400 Battle Creek 300 Mill Creek 300 Cottonwood Creek 200 Deer Creek Paynes Creek 200 Big Chico Creek Antelope Creek Elder Creek • 100 **Butte Creek** Group 4 Thomes Creek* Stony Creek Feather River Juve surv: 0.5 Spawning habitat per redd Group 3 500 Yuba River Juve surv: 0.5 400 Bear River 300 American River 400 200 Cosumnes River 300 Yolo BP Mokelumne River 200 Group 5 Calaveras River Spawning habitat per redd 100 Group 6 Stanislaus River Juve surv: 0.5 Tuolumne River 400 Merced River 300 200 Provisional results subject to revision


Forward Simulation

Simulate 20 years

Five actions implemented per year

Evaluate two alternative rulesets


- Pick actions that maximize fish returns but do not work in areas above doubling goal
- 2. Pick actions that maximize fish returns <u>in</u>
 <u>each diversity group</u> but do not work in areas above doubling goal




Forward Simulation What strategy results in the highest cumulative utility Mainstern NOT INTEGRATED Here!!! Clear Creek Cottonwood Creek Elder Creek Stony Creek channel rearing **Thomes Creek** Survival Floodplain Battle Creek Bear Creek **Diversity group** Cow Creek Antelope Creek Pick actions that Big Chico Creek maximize fish **Butte Creek** Deer Creek returns Mill Creek Paynes Creek Bear River Feath ф veras River Merced River Stanislaus River Tuolumne River 8 9 10 11 12 13 14 15 16 17 18 19 20


Year


Provisional results subject to revision




Rule-set concepts









Development process


- 1. Initial brainstorm call between Rod Wittler / Mike Urkov (with assist from Adam Duarte)
 - a. Result: conceptual "Paired rule sets"
- 2. Follow-up meeting Rod Wittler / Mike Beakes
 - a. Result: some modifications
- 3. Follow-up conference call Rod Wittler / Mike Beakes / JD Wikert / Cesar Blanco (with email assist from Matt Brown)
 - a. Result: additional detailed suggestions

Main Idea

- 1. Develop Paired Rule Sets
 - a. Think of a rule and its opposite
- 2. Example (management constraint):
 - a. Maximize fish returns (from optimization)
 - b. Minimize fish returns (also from optimization!)
- 3. Example (geographic constraint)
 - a. Constrain investment to northern watersheds (American River and above)
 - b. Constrain investment to southern watersheds (below the American River)
- 4. Example (genetic constraint)
 - a. Concentrate in-stream investment to hatchery dominated streams
 - b. Concentrate in-stream investment to streams with least hatchery influence


Example Management Constraint

Maximize fish returns and Minimize fish returns




Example Geographic Constraint

Invest in north and invest in south



Example Genetic Constraint

Hatchery influence and non-hatchery influence



Other possible rule-sets

- 1. Largest escapement goals versus smallest
- 2. Invest at top of system (headwaters) versus bottom of system (near delta)
- 3. Concentrate on systems close to doubling versus farthest from doubling
- 4. Concentrate on streams with largest unmet capacity versus smallest
- 5. Concentrate on most impaired flow streams versus least impaired
- 6. CVP versus non-CVP
- 7. Winter-run investment only versus Spring only versus Fall only

Urkov Recommendations*

- 1. Pick 3 paired rule-sets for refinement, analysis, and consideration at inperson SIT meeting
- 2. After analysis, concentrate on common projects identified in first 5-7 years for prioritization in Near-Term Restoration Strategy
- Other "interesting" concepts can be investigated further during implementation of Near-Term Restoration Strategy (which can be changed if necessary!)
- 4. Remember: Rule-sets are constraining results from maximized returns

*Does not reflect development group's recommendation!


Agenda

- Update on predator contact points (Cyril)
- Update on watershed expert meetings (Mike Urkov)
- Discuss Battle Creek winter run proposal (Matt)
- Discuss proposed rulesets for restoration strategy development (All)
- Review example output that the SIT will be provided with to develop strategies (All)
- New Business



Optimization

Maximize the number of adult equivalents



SIT Chinook Objectives

Fundamental objective Category	Fundamental objective attribute
Valley Wide	
Spatial structure	Total no. of viable spawning populations per diversity group (NMFS def. of independent population)
Abundance	Total no. of spawning natural origin adults (across watersheds)
	Naturally-spawned juvenile abundance at Chipps
Watershed specific	
Abundance	No. of returning natural origin adults Naturally-spawned juvenile abundance at Chipps

- Naturally-spawned juvenile abundance
 - Juvenile biomass
- Measuring viable populations
 - Escapement > 833 annually
 - Cohort Replacement Rate ≥1
 - Hatchery stray rate ≤10%


Forward Simulation


Simulate 20 years

Five actions implemented per year

Evaluate two alternative rulesets


- Pick actions that maximize fish returns but do not work in areas above doubling goal
- 2. Pick actions that maximize fish returns <u>in</u>
 <u>each diversity group</u> but do not work in areas above doubling goal








- In-channel rearing
 - Floodplain
 - Survival




Year



Provisional results subject to revision


Valley Wide

Relative change in spawning natural origin adults




Valley Wide

Relative change in juvenile biomass at Chipps




Valley Wide


Total no. of viable spawning populations per diversity group




Relative change in spawning natural origin adults




Relative change in spawning natural origin adults (zoomed in)



Relative change in juvenile biomass at Chipps



Relative change in juvenile biomass at Chipps (zoomed in)



<u>Agenda</u>

- Update on predator contact points (Cyril)
- Update on watershed expert meetings (Mike Urkov)
- Discuss Battle Creek winter run proposal (Matt)
- Discuss proposed rulesets for restoration strategy development (All)
- Review example output that the SIT will be provided
 with to develop strategies (All)
- New Business



Reminders

Next meeting: In-person Meeting on Thursday–Friday October 24–25, 2800 Cottage Way C-1003, Sacramento, CA

Join Zoom Meeting

https://oregonstate.zoom.us/j/3571021423

One tap mobile

+16699006833,,3571021423# US (San Jose)

+19292056099,,3571021423# US (New York)

Dial by your location

+1 669 900 6833 US (San Jose)

+1 929 205 6099 US (New York)

Meeting ID: 357 102 1423

Find your local number: https://zoom.us/u/acQUIJPw0T

Join by SIP

3571021423@10.130.0.54

Join by H.323 10.130.0.54

Meeting ID: 357 102 1423